

Publications, including (i) peer-reviewed papers, (ii) relevant other publications and (iii) relevant abstracts (listed are publications since 1999):

Berthling, I., Beylich, A.A. & G. Vatne (2006): Coupling of slope and fluvial sediment transport systems in Vinstradalen, Oppdal. 1st TOPONORGE WORKSHOP, Geological Survey of Norway (NGU), Trondheim, 6.-7. March 2006. *NGF Abstracts and Proceedings of the Geological Society of Norway*, 1: 6-7.

Berthling, I., Fadnes, E., Onsøien, R., Beylich, A.A. & G. Vatne (2006): Sediment fluxes from debris flows, Vinstradalen, Oppdal, Norway. *NGF Abstracts and Proceedings of the Geological Society of Norway*, 4: 21.

Berthling, I., Fadnes, E., Onsøien, R., Beylich, A.A. & G. Vatne (2006): Sediment fluxes from debris flows, Vinstradalen, Oppdal, Norway. *NGU Report 2006.069*: 21.

Beylich, A. A. (1999a): Hangdenudation und fluviale Prozesse in einem subarktisch-ozeanisch geprägten, permafrostfreien Periglazialgebiet mit pleistozäner Vergletscherung – Prozessgeomorphologische Untersuchungen im Bergland der Austfirdir (Austdalur, Ost-Island). *Berichte aus der Geowissenschaft*. Aachen. 130 pp.

Beylich, A. A. (1999b): Untersuchungen über das Morphoklima in einem subarktisch-ozeanisch geprägten Periglazialgebiet in Ost-Island (Austfirdir, Austdalur). *Hallesches Jahrb. für Geowissenschaften, A*, 21: 51 - 66.

Beylich, A. A. (1999c): Intensität und raumzeitliche Variabilität gravitativer und fluvialer Prozesse im periglazialen Bergland der Austfirdir (Ost-Island). *Norden*, 13: 163 - 180.

Beylich, A. A. (2000a): Untersuchungen zum gravitativen und fluvialen Stofftransfer in einem subarktisch-ozeanisch geprägten, permafrostfreien Periglazialgebiet mit pleistozäner Vergletscherung (Austdalur, Ost-Island). *Zeitschr. Geomorph. N.F., Suppl.-Bd.*, 121: 1 – 22.

Beylich, A. A. (2000b): Hangdenudation und fluviale Prozesse in einem subarktisch-ozeanisch geprägten, permafrostfreien Periglazialgebiet mit pleistozäner Vergletscherung – Prozessgeomorphologische Untersuchungen im Bergland der Austfirdir (Austdalur, Ost-Island). *Hallesches Jahrb. für Geowissenschaften, A*, 22: 131 - 132 (short communication).

Beylich, A. A. (2000c): Geomorphology, sediment budget, and relief development in Austdalur, Austfirdir, East Iceland. *Arctic, Antarctic, and Alpine Research*, 32, 4: 466 - 477.

Beylich, A. A. (2000d): Slope denudation and streamwork in the periglacial Austfirdir Mountains – Process geomorphological investigations in a drainage basin in East Iceland. *Iceland 2000: Modern processes and past environments*, Keele University: 13 – 14.

Beylich, A. A. (2000e): Morphoklima und rezente Morphodynamik im periglazialen Bergland der Austfirdir (Austdalur, Ost-Island). *Zeitschr. Geomorph. N.F., Suppl.-Bd.*, 123: 57 - 78.

Beylich, A. A. (2001a): Slope denudation, streamwork, and relief development in two periglacial environments in East Iceland and Swedish Lapland. *Transactions, Japanese Geomorphological Union*, **22** (4), C-23.

Beylich, A. A. (2001b): Recent morphoclimates and recent geomorphodynamics in periglacial environments in East Iceland, Swedish Lapland, and Finnish Lapland. *Transactions, Japanese Geomorphological Union*, **22** (4), C-24.

Beylich, A. A. (2002): Sediment budgets and relief development in present periglacial environments – a morphosystem analytical approach. *Hallesches Jahrbuch für Geowiss, A*, **24**: 111-126.

Beylich, A.A. (2003): Present morphoclimates and morphodynamics in Latnjavagge, the northern Swedish Lapland and Austdalur, east Iceland. *Jökull*, **52**: 33-54.

Beylich, A.A. (2005): Intensity and spatio-temporal variability of chemical denudation in an arctic-oceanic periglacial drainage basin in northernmost Swedish Lapland. *Nordic Hydrology*, **36** (1): 21-36.

Beylich, A.A. (2005): Sedimentary Source-to-Sink-Fluxes in arctic-oceanic Swedish Lapland – Results from process geomorphological investigations at the landscape level. *European Science Foundation (ESF) Network SEDIFLUX – Sedimentary Source-to-Sink-Fluxes in Cold Environments. Second Workshop, Clermont-Ferrand, France 20 – 22 January, 2005*. Seteun, Clermont-Ferrand: 36-37.

Beylich, A.A. (Ed.) (2006): SEDIFLUX - Sedimentary Source-to-Sink-Fluxes in Cold Environments. First ESF SEDIFLUX Science Meeting, Saudarkrokur, Iceland. *Geomorphology* **80** (1-2). 146 pp.

Beylich, A.A. (2005): Fluvial sediment budgets in four small catchments in Iceland, Swedish Lapland and Finnish Lapland. *Sixth International Conference on Geomorphology. September 7-11, 2005, Zaragoza (Spain). Abstracts Volume*: 19.

Beylich, A.A. (2006): The first science meeting of the European Science Foundation (ESF) network SEDIFLUX – sedimentary source-to-sink fluxes in cold environments. In: Beylich, A.A. (Ed.), SEDIFLUX - Sedimentary Source-to-sink Fluxes in Cold Environments. First ESF SEDIFLUX Science Meeting. Saudarkrokur, Iceland. *Geomorphology* **80** (1-2): 1-2.

Beylich, A.A. (Ed.) (2006): Fourth ESF SEDIFLUX Science Meeting & First Workshop of I.A.G./A.I.G. SEDIBUD: Source-to-Sink-Fluxes and Sediment Budgets in Cold Environments. October 29th – November 02nd, 2006, Trondheim, Norway. *NGF Abstracts and Proceedings of the Geological Society of Norway*, **4**, 2006. 85pp.

Beylich, A.A. (Ed.) (2006): Fourth ESF SEDIFLUX Science Meeting & First Workshop of I.A.G./A.I.G. SEDIBUD. *NGU Report* **2006.069**. 85pp.

Beylich, A.A. (2006): Sediment transfers and sediment budgets in five small catchments situated in different cold environments in Iceland, Swedish Lapland,

Finnish Lapland and Norway. *NGF Abstracts and Proceedings of the Geological Society of Norway*, **4**: 22-23.

Beylich, A.A. (2006): Sediment transfers and sediment budgets in five small catchments situated in different cold environments in Iceland, Swedish Lapland, Finnish Lapland and Norway. *NGU Report 2006.069*: 22-23

Beylich, A.A. (2007): Sediment transfers, sediment budgets and relief development in three catchments in different cold environments in sub-Arctic East Iceland and Arctic Swedish Lapland. *Geophysical Research Abstracts*, Vol. **9**, 02784, 2007.

Beylich, A.A. (2007): The quantitative importance of seasonal snowmelt and rainfall generated peak runoff for annual fluvial sediment budgets in four catchments in Swedish Lapland, Finnish Lapland and Iceland. *Geophysical Research Abstracts*, Vol. **9**, 02728, 2007.

Beylich, A.A. (2007): The quantitative role of chemical weathering, solute fluxes and chemical denudation in four different catchments in Iceland, Swedish Lapland and Finnish Lapland. *Geophysical Research Abstracts*, Vol. **9**, 02742, 2007.

Beylich, A.A. (2007): Quantitative studies on sediment fluxes and sediment budgets in changing cold environments – potential and expected benefit of coordinated data exchange and the unification of methods. *Landform Analysis*, Vol. **5**: 9-10.

Beylich, A.A. (2007): Quantitative studies on mass transfers, sediment budget and relief development in a catchment in Arctic-oceanic northernmost Swedish Lapland. *NGU Report, 2007.052*: 23.

Beylich, A.A. (2007): Quantitative studies on sediment fluxes and sediment budgets in changing cold environments and the expected benefit from the unification of methods and measuring techniques. *NGU Report, 2007.052*: 24-25.

Beylich, A.A. (2008): Sediment fluxes and sediment budget in Latnjavagge and the potential of applying unified methods for integrating investigations on sediment fluxes and budgets in cold environment catchments. *Geological Survey of Norway Special Publication*, **11**: 111-130.

Beylich, A.A. (2008): Mass transfers, sediment budget and relief development in the Latnjavagge catchment, Arctic-oceanic Swedish Lapland. *Zeitschrift für Geomorphologie N.F.*, **52** (1): 149-197.

Beylich, A.A. (2008): Sediment Budgets in Cold Environments. EDITORIAL. *Norsk Geografisk Tidsskrift-Norwegian Journal of Geography, special issue 62(2)*: 49.

Beylich, A.A. (Ed.) (2008): Sediment Budgets in Cold Environments. *Norsk Geografisk Tidsskrift-Norwegian Journal of Geography, special issue 62(2)*.

Beylich, A.A. (2008): Sediment budgets in cold environments: The global SEDIBUD programme. *33rd International Geological Conference 2008, Oslo, Norway*. Abstracts.

Beylich A.A. (2008): Day 6: Tuesday August 19th Stryn – Erdalen – Stryn: Introduction, Stop 1: Lower Erdalen valley, Stop 2: Upper Erdalen valley. 33rd IGC excursion No 31, August 14-20, 2008: UNESCO FJORDS – From Nærøyfjord to Geirangerfjord: 61-62.

Beylich, A.A. (2009): Chemical and mechanical fluvial denudation in cold environments – Comparison of denudation rates from three catchments in sub-Arctic Easter Iceland, sub-Arctic Finnish Lapland and Arctic Swedish Lapland. *Jökull* **59**: 19-32.

Beylich, A.A. (2009): Timescales of sediment dynamics, climate and topographic change in mountain landscapes (SedyMONT) – Erdalen and Bødalen site project. *NGF Abstracts and Proceedings, no. 1, 2009*: 8.

Beylich, A.A. (2009): Sediment Budgets in Cold Environments – the SEDIBUD programme. *NGF Abstracts and Proceedings, no. 1*: 8-9..

Beylich, A.A. (2009): Fluvial transport and denudation rates in three small catchments in Eastern Iceland, Finnish Lapland and Swedish Lapland. *Geophysical Research Abstracts, Vol. 11*, EGU2009-1415, 2009.

Beylich, A.A. (2009): Timescales of sediment dynamics, climate and topographic change in mountain landscapes (SedyMONT) – Erdalen and Bødalen site project. *Geophysical Research Abstracts, Vol. 11*, EGU2009-1337, 2009.

Beylich, A.A. (2009): Sediment sources and fluvial transport during thermally and pluvially generated peak runoff in a glacier-fed mountain catchment in Nordfjord, western Norway. *Geophysical Research Abstracts, Vol. 11*, EGU2009-1498, 2009.

Beylich, A.A. (2009): Sediment sources and fluvial transport in a glacier-fed mountain catchment in western Norway. *7th International Conference on Geomorphology (ANZIAG). Ancient Landscapes – Modern Perspectives. Conference Abstracts.*

Beylich, A.A. (2009): Timescales of sediment dynamics, climate and topographic change in mountain landscapes (SedyMONT / Norway). *7th International Conference on Geomorphology (ANZIAG). Ancient Landscapes – Modern Perspectives. Conference Abstracts.*

Beylich, A.A. (2009): Timescales of sediment dynamics, climate and topographic change in mountain landscapes (SedyMONT / Norway) – Erdalen and Bødalen site project. *Nordic Geographers Meeting Turku 2009. Turku University Department of Geography Publications B 14*: 188..

Beylich, A.A. (accepted): Sediment flux source-to-sink. In: Singh, V.P., Singh, P. & U.K. Haritashya (Eds.), *Encyclopedia of Snow, Ice and Glaciers*. Springer.

Beylich, A.A. (2009): Annual data from SEDIBUD key test sites (five examples). Available online at <http://www.geomorph.org/wg/wgsb.html>.

Beylich, A.A. (2010): Holocene, subrecent and contemporary source-to-sink fluxes in a valley-fjord system, Erdalen and Bødalen site project (SedyMONT-Norway). *Geophysical Research Abstracts*, Vol. **12**, EGU2010-1219, 2010.

Beylich, A.A. (2010): The global SEDIBUD (Sediment Budgets in Cold Environments) Programme: Coordinated studies of sedimentary fluxes and budgets in changing cold climate environments. *The Open Geology Journal*.

Beylich, A.A. and the SEDIBUD Team (2006): The I.A.G./A.I.G. Working Group SEDIBUD – Sediment Budgets in Cold Environments: Introduction and Overview. *NGF Abstracts and Proceedings of the Geological Society of Norway*, **4**: 26-27.

Beylich, A.A. and the SEDIBUD Team (2006): The I.A.G./A.I.G. Working Group SEDIBUD – Sediment Budgets in Cold Environments: Introduction and Overview. *NGU Report 2006.069*: 26-27.

Beylich, A.A. and the SEDIBUD Team (2008): The global SEDIBUD program: Sediment Budgets in Cold Environments. *Náttúrustofa Norðurlands vestra NNV-2008-002, April 2008*: 79-80.

Beylich, A.A. and the SEDIBUD Team (2008): Sediment Budgets in Cold Environments: The global SEDIBUD programme. 3. *Mitteleuropäische Geomorphologietagung, Salzburg, 23.-28.09.2008*. Abstracts.

Beylich, A.A. and the SEDIBUD Team (2009): Quantitative analysis of sediment budgets in cold environments: The global SEDIBUD programme. *Geophysical Research Abstracts*, Vol. **11**, EGU2009-1511, 200.

Beylich, A.A. and the SEDIBUD Team (2009): Sediment budgets in cold environments – The SEDIBUD programme. *Nordic Geographers Meeting, Turku 2009. Department of Geography Publications B 14*: 192.

Beylich, A.A. and the SEDIBUD Team (in review): The global I.A.G./A.I.G. Sediment Budgets in Cold Environments (SEDIBUD) Programme: Coordinated efforts to quantify sedimentary fluxes and budgets in changing cold environments. *Zeitschrift für Geomorphologie N.F., Special Issue*.

Beylich, A.A. and the SEDIFLUX Team (2005): SEDIFLUX: A European Science Foundation (ESF) Network. *Sixth International Conference on Geomorphology, September 7-11, 2005, Zaragoza (Spain). Abstracts Volume*: 19.

Beylich, A.A. and the SEDIFLUX Team (2005): The European Science Foundation (ESF) Network SEDIFLUX. *ICARP II, Conference Material (CD)*.

Beylich, A.A. and the SEDIFLUX Team (2006): The European Science Foundation (ESF) Network Sedimentary Source-to-Sink Fluxes in Cold Environments (SEDIFLUX). 1st TOPONORGE WORKSHOP, Geological Survey of Norway (NGU), Trondheim, 6.-7. March 2006. *NGF Abstracts and Proceedings of the Geological Society of Norway*, No. 1: 8.

Beylich, A.A. and the SedyMONT-Norway Team (2009): Timescales of sediment dynamics, climate and topographic change in mountain landscapes – Erdalen and Bødalen site project (SedyMONT – Norway). *NGU Report 2009.050*: 22.

Beylich, A.A. and the SedyMONT-Norway Team (2010): Timescales of sediment dynamics, climate and topographic change in mountain landscapes – Erdalen and Bødalen site project (SedyMONT-Norway): Holocene, subrecent and contemporary source-to-sink fluxes in a valley – fjord system. 29th *Nordic Geological Winter Meeting, Oslo, January 11-13, 2010. NGF Abstracts and Proceedings, 1*: 18.

Beylich, A.A., Etienne, S., Etzelmüller, B., Gordeev, V.V., Käyhkö, J., Rachold, V., Russell, A.J., Schmidt, K.-H., Sæmundsson, Þ., Tweed, F.S. & J. Warburton (2006): The European Science Foundation (ESF) Network SEDIFLUX – An introduction and overview. In: Beylich, A.A. (Ed.): SEDIFLUX. Sedimentary Source-to-Sink-Fluxes in Cold Environments. *Geomorphology 80* (1-2): 3-7.

Beylich, A.A., Etienne, S., Etzelmüller, B., Gordeev, V.V., Käyhkö, J., Rachold, V., Russell, A.J., Schmidt, K.-H., Sæmundsson, Þ., Tweed, F.S. & J. Warburton (2005): Sedimentary Source-to-Sink-Fluxes in Cold Environments – Information on the European Science Foundation (ESF) Network SEDIFLUX. *Zeitschrift für Geomorphologie N.F., Suppl.-Vol. 138*: 229-234.

Beylich, A.A., Etienne, S., Etzelmüller, B., Gordeev, V.V., Käyhkö, J., Rachold, V., Russell, A.J., Schmidt, K.-H., Sæmundsson, Þ., Tweed, F.S. & J. Warburton (2004): Information on the European Science Foundation (ESF) Network: Sedimentary Source-to-Sink-Fluxes in Cold Environments (SEDIFLUX). *Geophysical Research Abstracts, 6*, 06798, 2004.

Beylich, A.A., Etienne, S., Etzelmüller, B., Gordeev, V.V., Käyhkö, J., Rachold, V., Russell, A.J., Schmidt, K.-H., Sæmundsson, Þ., Tweed, F.S. & J. Warburton (2005): The European Science Foundation (ESF) Network SEDIFLUX: Sedimentary Source-to-Sink-Fluxes in Cold Environments. *NGF Abstracts and Proceedings*, no. 1, 2005: 11-12.

Beylich, A.A., Etienne, S., Etzelmüller, B., Gordeev, V.V., Käyhkö, J., Rachold, V., Russell, A.J., Schmidt, K.-H., Sæmundsson, Þ., Tweed, F.S. & J. Warburton (2005): Sedimentary Source-to-Sink-Fluxes in Cold Environments (SEDIFLUX): An interdisciplinary ESF Network. *HeadWater2005, Conference Papers (CD)*. Bergen.

Beylich, A.A., Etienne, S., Etzelmüller, B., Gordeev, V.V., Käyhkö, J., Rachold, V., Russell, A.J., Schmidt, K.-H., Sæmundsson, Þ., Tweed, F.S. & J. Warburton (2005): The European Science Foundation (ESF) Network SEDIFLUX: Sedimentary Source-to-Sink-Fluxes in Cold Environments (2004 – 2006) – Introduction. *EUCOP II Programme and Abstracts*: 92-93.

Beylich, A.A., Etienne, S., Etzelmüller, B., Gordeev, V.V., Käyhkö, J., Rachold, V., Russell, A.J., Schmidt, K.-H., Sæmundsson, Þ., Tweed, F.S. & J. Warburton (2004): The ESF Network SEDIFLUX: “Sedimentary Source-to-Sink-Fluxes in Cold Environments” – an introduction. *Náttúrustofa Norðurlands vestra. NNV-2004-003*. June 2004, 27-28.

Beylich, A.A., Etienne, S., Etzelmüller, B., Gordeev, V.V., Käyhkö, J., Rachold, V., Russell, A.J., Schmidt, K.-H., Sæmundsson, Þ., Tweed, F.S. & J. Warburton (2004): The European Science Foundation (ESF) Network SEDIFLUX: Sedimentary Source-to-Sink-Fluxes in Cold Environments. *Seventh Workshop on Land Ocean Interactions in the Russian Arctic, LOIRA project. November 15-18, 2004. P.P. Shirshov Institute of Oceanology of RAS, Russia; World Ocean Problems Commission, Russia; Joint Global Ocean Flux Study (JGOFS):* 14-15.

Beylich, A.A., Etienne, S., Etzelmüller, B., Gordeev, V.V., Käyhkö, J., Lantuit, H., Russell, A.J., Sæmundsson, Þ., Schmidt, K.-H., Tweed, F.S. & J. Warburton (2006): The European Science Foundation (ESF) Network –Sedimentary Source-to-Sink-Fluxes in Cold Environments- (SEDIFLUX, 2004-2006). *NGF Abstracts and Proceedings of the Geological Society of Norway, 4:* 24-25.

Beylich, A.A., Etienne, S., Etzelmüller, B., Gordeev, V.V., Käyhkö, J., Lantuit, H., Russell, A.J., Sæmundsson, Þ., Schmidt, K.-H., Tweed, F.S. & J. Warburton (2006): The European Science Foundation (ESF) Network – Sedimentary Source-to-Sink-Fluxes in Cold Environments- (SEDIFLUX, 2004-2006). *NGU Report 2006.069:* 24-25.

Beylich, A. A. & D. Gintz (2004): Effects of high-magnitude/low-frequency fluvial events generated by intense snowmelt or heavy rainfall in arctic periglacial environments in northern Swedish Lapland and northern Siberia. *Geografiska Annaler, 86 A (1):* 11-29.

Beylich, A.A. & D. Gintz (2010): Applying biofilm analysis for detecting mobility or stability of gravel bed channel stretches. *Geophysical Research Abstracts, Vol. 12, EGU2010-1247, 2010.*

Beylich, A.A., Gustavsson, M. & E. Kolstrup (2007): Experimental weathering of selected non-calcareous rock types under wet/moist conditions. *Zeitschrift für Geomorphologie N.F. 51 (1):* 1-26.

Beylich, A.A., Hansen, L., Liermann, S., Gintz, D., Laute, K., Vatne, G., Fredin, O., Burki, V. & I. Berthling (2008): Sediment dynamics and sub-recent sediment budget of the braided sandur system at Sandane, Erdalen (Nordfjord, western Norway). *NGU Report, 2008.058:* 21.

Beylich, A.A., Hansen, L., Liermann, S., Gintz, D., Laute, K., Vatne, G., Fredin, O., Burki, V., Berthling, I. & K.-H. Schmidt (2008): Sub-recent sediment dynamics and sediment budget of the braided sandur system at Sandane, Erdalen (Nordfjord, Western Norway). *Geophysical Research Abstracts. Vol. 10, EGU2008-A-02591, 2008.*

Beylich, A.A., Hansen, L., Liermann, S., Gintz, D., Laute, K., Vatne, G., Fredin, O., Burki, V., Berthling, I. & K.-H. Schmidt (2008): Sub-recent development of the braided sandur system at Sandane, sub-Arctic oceanic upper Erdalen (Norway). *33rd International Geological Congress 2008, Oslo, Norway. Abstracts.*

Beylich, A.A. & C. Kneisel (2008): Postglacial sediment budget and relief development in Hrafnadalur, Easter Iceland. *Geophysical Research Abstracts*, Vol. **10**, EGU2008-A-01660, 2008.

Beylich, A.A. & C. Kneisel (2008): Holocene and present-day sediment budget and relief development in Austfiridir (eastern Iceland). *33rd International Geological Congress 2008, Oslo, Norway*. Abstracts.

Beylich, A.A. & C. Kneisel (2009): Sediment budget and relief development in Hrafnadalur, sub-Arctic oceanic eastern Iceland. *Arctic, Antarctic and Alpine Research*, **41(1)**: 3-17.

Beylich, A.A., Kolstrup, E., Linde, N., Pedersen, L.B., Thyrsted, T., Gintz, D. & L. Dynesius (2003): Assessment of chemical denudation rates using hydrological measurements, water chemistry analysis and electromagnetic geophysical data. *Permafrost and Periglacial Processes* **14**: 387-397.

Beylich, A.A., Kolstrup, E., Molau, U., Thyrsted, T., Linde, N., Pedersen, L.B. & D. Gintz (2003): Combining water chemistry and geophysical investigations with assessment of chemical denudation rates in the Latnjavagge drainage basin, arctic-oceanic Swedish Lapland. *ICOP 2003 Proceedings, Extended Abstracts Reporting Current Research and New Information*: 9-10.

Beylich, A.A., Kolstrup, E., Thyrsted, T. & D. Gintz (2004): Water chemistry and its diversity in relation to local factors in the Latnjavagge drainage basin, arctic-oceanic Swedish Lapland. *Geomorphology*, **58**: 125-143.

Beylich, A.A., Kolstrup, E., Thyrsted, T., Linde, N. & L.B. Pedersen (2004): Assessing chemical denudation rates by combining water chemistry analyses and geophysical investigation in a periglacial environment. *Geophysical Research Abstracts*, **6**, 07477, 2004.

Beylich, A.A., Kolstrup, E., Thyrsted, T., Linde, N. & L.B. Pedersen (2004, April): Assessment of chemical denudation rates in cold environments. – In: Humlum, O. & N. Matsuoka (Eds.), *A Handbook on Periglacial Field Methods*. *Web-publication at: www.unis.no*.

Beylich, A. A., Kolstrup, E., Thyrsted, T., Linde, N., Pedersen, L. B. & L. Dynesius (2004): Chemical denudation in arctic-alpine Latnjavagge (Swedish Lapland) in relation to regolith as assessed by radio magnetotelluric-geophysical profiles. *Geomorphology*, **57**: 303-319.

Beylich, A.A. & S.F. Lamoureux (2007): SEDIFLUX Manual. First Edition: Prospect. *NGU Report*, **2007.053**: 117.

Beylich, A.A. & S.F. Lamoureux (2009): Fourth SEDIBUD Workshop, Kingston, Canada, 13-16 October 2009. Workshop Report. Available online at <http://www.geomorph.org/wg/wgsb.html>.

Beylich, A.A. & S.F. Lamoureux (Eds.) (2010): Sedimentary Fluxes and Budgets in Changing Cold Environments: Quantitative Analysis and Scaling Issues. *Geografiska Annaler, A. Special Issue 92 (2)*.

Beylich, A.A. & S.F. Lamoureux (2010): The Third Workshop of the I.A.G./A.I.G. SEDIBUD Programme – Sediment Budgets in Cold Environments: Sediment Fluxes and Sediment Budgets in Changing high-latitude and high-altitude Cold Environments. Editorial. *Geografiska Annaler, A. Special Issue 92 (2)*: 149-150.

Beylich, A.A. & S.F. Lamoureux (2010): The Global SEDIBUD Programme: Coordinated Study and Quantification of Sedimentary Fluxes and Budgets in Changing Cold Climate Environments. *International Polar Year Oslo Science Conference 2010, Polar Science – Global Impact, 8-12 June, Oslo*. Abstracts.

Beylich, A.A. & S.F. Lamoureux (2010): Coordinated analysis and quantification of sedimentary fluxes and budgets in cold environments: The SEDIBUD Programme. *Geophysical Research Abstracts*, Vol. **12**, EGU2010-1212, 2010.

Beylich, A.A., Lamoureux, S.F. & A. Decaulne (2007): Coordinated quantitative studies on sediment fluxes and sediment budgets in changing cold environments – examples from three SEDIBUD key test areas in Canada, Iceland and Norway. *Landform Analysis*, Vol. **5**: 11-12.

Beylich, A.A., Lamoureux, S.F. & A. Decaulne (2007): Sediment fluxes and sediment budgets in changing cold environments – examples from coordinated quantitative studies in three SEDIBUD key test areas in Canada, Iceland and Norway. *NGU Report*, **2007.052**: 26-27.

Beylich, A.A., Lamoureux, S.F. & A. Decaulne (Eds.) (2007): Second Workshop of I.A.G./A.I.G. SEDIBUD – Sediment Budgets in Cold Environments: Sediment Fluxes and Sediment Budgets in Changing High-Latitude & High-Altitude Cold Environments. *NGU Report*, **2007.052**. 57pp.

Beylich, A.A., Lamoureux, S.F. & A. Decaulne (2008): SEDIBUD – Sediment budgets in cold environments: Introduction. *Zeitschrift für Geomorphologie N.F.*, **52** (1): 1-2.

Beylich, A.A., Lamoureux, S.F. & A. Decaulne (2008): Quantitative analysis of source-to-sink-fluxes and sediment budgets in changing cold environments – the global SEDIBUD program. *Geophysical Research Abstracts*. Vol. **10**, EGU2008-A-01652, 2008.

Beylich, A.A., Lamoureux, S.F. & A. Decaulne (2008): The global I.A.G./A.I.G. SEDIBUD (Sediment Budgets in Cold Environments) programme: Introduction and overview. *Norsk Geografisk Tidsskrift-Norwegian Journal of Geography* **62**(2): 50-51.

Beylich, A.A., Lamoureux, S.F. & A. Decaulne (Eds.) (2008): Third I.A.G. / A.I.G. SEDIBUD Workshop, Boulder, U.S.A.: Sediment Fluxes and Sediment Budgets in Changing High-Latitude and High-Altitude Cold Environments. *NGU Report*, **2008.058**: 41pp.

Beylich, A.A., Lamoureux, S.F. & A. Decaulne (in press): Developing frameworks for studies on sedimentary fluxes and budgets in changing cold environments. *Polish Polar Research*.

Beylich, A.A., Lamoureux, S.F. & A. Decaulne (Eds.) (2009): Source-to-sink-fluxes and sediment budgets in changing high-latitude and high-altitude cold environments. *Arctic, Antarctic and Alpine Research, Special Issue 41(1)*.

Beylich, A.A., Lamoureux, S.F. & A. Decaulne (2009): Sediment budgets in Cold Environments – the SEDIBUD programme. *Arctic, Antarctic and Alpine Research, 41(1): 1-2*.

Beylich, A.A., Lamoureux, S.F. & A. Decaulne (2009): Quantitative analysis of sediment budgets in cold environments: The I.A.G./A.I.G. SEDIBUD programme. 7th *International Conference on Geomorphology (ANZIAG). Ancient Landscapes – Modern Perspectives. Conference Abstracts*.

Beylich, A.A., Lamoureux, S.F. & A. Decaulne (Eds.) (2009): Fourth I.A.G./A.I.G. SEDIBUD Workshop, Kingston, Ontario, Canada: Quantitative analysis of sedimentary fluxes and budgets in changing cold climate environments: Scaling issues, new techniques, modelling and data management. *NGU Report 2009.050*. 40pp.

Beylich, A.A., Lamoureux, S.F., Decaulne, A., Björk, R.G. & F.S. Tweed (2007): Chapter 4 – Selection of critical key test catchments. *NGU Report, 2007.053*: 95-100.

Beylich, A.A., Lamoureux, S.F., Decaulne, A., Dixon, J.C., Orwin, J.F., Otto, J.-C., Overeem, I., Sæmundsson, Th., Warburton, J. & Z. Zwolinski (2009): Sediment Budgets in Cold Environments: The I.A.G./A.I.G. SEDIBUD programme. *NGU Report 2009.050*: 20-21.

Beylich, A.A., Lamoureux, S.F., Decaulne, A., Dixon, J.C., Orwin, J.F., Otto, J.-Ch., Overeem, I., Sæmundsson, Th., Warburton, J. & Z. Zwolinski (2010): Sedimentary fluxes and budgets in changing cold environments: The global I.A.G./A.I.G. Sediment Budgets in Cold Environments (SEDIBUD) Programme. *Geografiska Annaler, A, Special Issue 92 (2)*: 151-153 (in press).

Beylich, A.A., Lamoureux, S.F., Decaulne, A., Dixon, J.C., Orwin, J.F., Overeem, I., Sæmundsson, P., Warburton, J., & Z. Zwolinski (2008): Sediment Budgets in Cold Environments: The I.A.G. / A.I.G. SEDIBUD programme. *NGU Report, 2008.058*: 19-20.

Beylich, A.A., Laute, K., Liermann, S., Hansen, L., Burki, V., Vatne, G., Fredin, O., Gintz, D. & I. Berthling (2009): Subrecent sediment dynamics and sediment budget of the braided sandur system at Sandane, Erdalen (Nordfjord, western Norway). *Norsk Geografisk Tidsskrift – Norwegian Journal of Geography, Special Issue, 63 (2)*: 123-131.

Beylich, A.A., Liermann, S. & K. Laute (2009): Spatio-temporal variability of sediment sources and fluvial transport in two glacier-fed mountain catchments in Nordfjord, western Norway. *NGU Report 2009.050*: 19.

Beylich, A.A., Liermann, S. & K. Laute (2010): Fluvial transport during thermally and pluvially induced peak runoff events in a glacier-fed mountain catchment in western Norway. *Geografiska Annaler, A, Special Issue* **92 (2)**: 215-224.

Beylich, A.A., Liermann, S. & K. Laute (2010): Mechanical and chemical denudation in two glacier-fed mountain catchments in Nordfjord, western Norway (Erdalen and Bødalen). *Geophysical Research Abstracts*, Vol. **12**, EGU2010-1221, 2010.

Beylich, A.A., Lindblad, K. & U. Molau (2005): Direct human impacts on mechanical denudation in an arctic-oceanic periglacial environment in northern Swedish Lapland (Abisko mountain area). *Zeitschrift für Geomorphologie N.F., Suppl.-Vol.* **138**: 81-100.

Beylich, A.A., Lindblad, K., Molau, U., Sandberg, O. & S. Wache (2004): Intensity and spatio-temporal variability of fluvial sediment transfers in arctic-oceanic Latnjavagge, northernmost Swedish Lapland. *Geophysical Research Abstracts*, **6**, 06807, 2004.

Beylich, A.A., Molau, U. & C. Keskitalo (2006): Dynamics and Landscape Formation in Cold Environments. *NGF Abstracts and Proceedings of the Geological Society of Norway*, **4**: 28.

Beylich, A.A., Molau, U. & C. Keskitalo (2006): Dynamics and Landscape Formation in Cold Environments. *NGU Report* **2006.069**: 28

Beylich, A.A., Molau, U., Luthbom, K. & D. Gintz (2005): Rates of chemical and mechanical fluvial denudation in an arctic-oceanic periglacial environment, Latnjavagge drainage basin, northernmost Swedish Lapland. *Arctic, Antarctic, and Alpine Research* **37 (1)**: 75-87.

Beylich, A.A., Molau, U., Sandberg, O., Lindblad, K. & H. Seppä (2004): Integrating sediment budget studies and ecology at the landscape level – results from ongoing monitoring programmes in Latnjavagge, northernmost Swedish Lapland. *Náttúrustofa Norðurlands vestra*. NNV-2004-003. June 2004, 29-30.

Beylich, A.A. & O. Sandberg (2005): Geomorphic effects of the extreme rainfall event of July 20th-21st, 2004 in the Latnjavagge catchment, northernmost Swedish Lapland. *Geografiska Annaler*, **87 A (3)**: 409-419.

Beylich, A.A., Sandberg, O., Lindblad, K. & U. Molau (2004): Fluvial sediment transport and denudation in Latnjavagge, arctic-oceanic Swedish Lapland. - Joint International Geomorphology Conference, 18-20 August 2004, Glasgow. Abstract Volume, p46.

Beylich, A.A., Sandberg, O., Molau, U., Lindblad, K. & S. Wache (2004): Sediment sources and spatio-temporal variability of fluvial sediment transfers in arctic-oceanic Latnjavagge, Swedish Lapland. *Náttúrustofa Norðurlands vestra*. NNV-2004-003. June 2004, 66-67.

Beylich, A.A., Sandberg, O., Molau, U. & S. Wache (2006): Intensity and spatio-temporal variability of fluvial sediment transfers in an arctic-oceanic periglacial environment in northernmost Swedish Lapland. *Geomorphology* **80** (1-2): 114-130.

Beylich, A.A. & K.-H. Schmidt (2005): Water chemistry and solute fluxes in the Kidisjoki catchment, subarctic Finnish Lapland. *European Science Foundation (ESF) Network SEDIFLUX – Sedimentary Source-to-Sink-Fluxes in Cold Environments. Second Workshop, Clermont-Ferrand, France 20 – 22 January, 2005.* Seteun, Clermont-Ferrand: 54.

Beylich, A.A. & K.-H. Schmidt (Eds.) (2008): Sedimentary source-to-sink-fluxes and sediment budgets in changing cold environments. *Zeitschrift für Geomorphologie N.F.*, **52** (1).

Beylich, A.A., Schmidt, K.-H. & S. Neuvonen (2005): Chemical denudation in a small catchment in subarctic Finnish Lapland. *NFG Abstracts and Proceedings*, no. 1, 2005: 12.

Beylich, A.A., Schmidt, K.-H., Neuvonen, S., Forbrich, I. & A. Schildt (2005): Hydrology, water chemistry and solute fluxes in a small catchment in subarctic Finnish Lapland. *HeadWater2005, Conference Papers (CD)*. Bergen.

Beylich, A.A., Schmidt, K.-H., Neuvonen, S., Forbrich, I. & A. Schildt (2006): Solute fluxes in the Kidisjoki catchment, subarctic Finnish Lapland. *Geomorphologie: Relief, Processus, Environment*. No. **3**: 205-212.

Beylich, A.A., Sæmundsson, Þ., Decaulne, A. & O. Sandberg (Eds.) (2004) : First Science Meeting of the European Science Foundation ESF – Network SEDIFLUX. Sauðárkrúkur, Iceland, June 18th – 21st, 2004. - Extended Abstracts of Science Meeting Contributions. Náttúrustofa Norðurlands vestra. NNV-2004-003. 103 pp.

Beylich, A.A. & O.M. Sæther (Eds.) (2009): Environmental Fluxes in Polar Regions under Changing Climate. *Norwegian Journal of Geography – Norsk Geografisk Tidsskrift, Special Issue* **63(2)**.

Beylich, A.A. & O.M. Sæther (2009): Environmental fluxes in polar regions under changing climate. EDITORIAL. *Norsk Geografisk Tidsskrift-Norwegian Journal of Geography*, **63(2)**: 97.

Beylich A.A. & J. Warburton (Eds.) (2007): Analysis of Source-to-Sink-Fluxes and Sediment Budgets in Changing High-Latitude and High-Altitude Cold Environments. SEDIFLUX Manual. First Edition. *NGU Report*, **2007.053**. 158pp.

Burki, V., Hansen, L., Fredin, O., Beylich, A.A. & E. Larsen (2008): Little ice age to present glacial sediment evacuation rate of the Bødalsbreen glacier. 33rd *International Geological Congress 2008, Oslo, Norway*. Abstracts.

Burki, V., Hansen, L., Fredin, O., Beylich, A.A. & E. Larsen (2008): Glacier erosion rates since Little Ice Age during advance and retreat of a Norwegian outlet glacier. *Swiss Geoscience Meeting, Lugano 2008*. Abstracts.

Burki, V., Hansen, L., Fredin, O., Andersen, T., Beylich, A.A., Jaboyedoff, M., Larsen, E. & J.-F. Tønnesen (in press): Little Ice Age advance and retreat sediment budgets for an outlet glacier in western Norway. *Boreas*.

Decaulne, A., Beylich, A.A., Lamoureux, S.F., Caine, N.T. & I. Overeem (2008): Sediment fluxes and sediment budgets in changing high-latitude and high-altitude cold environments. Sediment Budgets in Cold Environments (SEDIBUD) Third Workshop; Mountain Research Station, INSTAAR, Boulder, Colorado, 9-13 September 2008. *IAG/AIG Newsletter No. 24 (3/2008)*.

Decaulne, A., Eggertsson, Ó., Laute, K. & A.A. Beylich (2010): Dendrogeomorphology and dendrochronology revealing recent snow-avalanche activity in Upper Nordfjord, western Norway. *WorldDendro Conference, Rovaniemi, Finland. Abstracts*.

Decaulne, A., Eggertsson, O., Laute, K., Sæmundsson, Th. & A.A. Beylich & H.P. Jonsson (2010): Addressing frequency and magnitude of recent snow avalanches in Northern Iceland and Western Norway by using dendrogeomorphology. *Geophysical Research Abstracts*, Vol. 12, EGU2010-4262, 2010.

Decaulne, A., Eggertsson, O., Sæmundsson, Th., Laute, K., Beylich, A.A., Pop, O., Defive, E. & S. Larrue (2010): The EuroDendro project – Snow-avalanche and debris-flow frequency in European Middle Mountains unravelled by dendrogeomorphological analyses. *Geophysical Research Abstracts*, Vol. 12, EGU2010-4231, 2010.

Decaulne, A., Eggertsson, O., Sæmundsson, Th., Laute, K., Beylich, A.A., Pop, O., defive, E. & S. Larrue (2010): The Euro-Dendro project – Snow avalanche and debris flow frequency in European Middle Mountains unravelled by dendrogeomorphological analyses. *WorldDendro Conference, Rovaniemi, Finland. Abstracts*.

Decaulne, A., Sæmundsson, Th., Eggertsson, O., Laute, K., & A.A. Beylich (2009): Using dendrogeomorphology to address frequency and magnitude of recent snow avalanches on colluvial surfaces in cold mountain environments. *NGU Report 2009.050*: 23.

Derron, M.-H. & A.A. Beylich (2006): Chemical denudation in Erdalen (Nordfjord, Norway), first estimations and numerical modelling. *NGF Abstracts and Proceedings of the Geological Society of Norway*, 4: 34.

Derron, M.-H. & A.A. Beylich (2006): Chemical denudation in Erdalen (Nordfjord, Norway), first estimations and numerical modelling. *NGU Report 2006.069*: 34.

Fredin, O., Beylich, A.A., Nesje, A., Larsen, E., Jansson, P. & V. Burki (2007): Recycling of glacial and non-glacial sediments during the `Little Ice Age` advance around Jostedalbreen, south central Norway? *NGF Abstracts and Proceedings of the Geological Society of Norway*, 1: 27-28.

Fredin, O., Burki, V., Hansen, L., Goodfellow, B., Seguinot, J., Larsen, E. & A.A. Beylich (2010): Topographic relief production from a surface process perspective; a matter of differential erosion rates. *29th Nordic Geological Winter Meeting, Oslo, January 11-13 2010. NGF Abstracts and Proceedings*, 1: 48-49.

Fredin, O., Larsen, E., Lyså, A., Beylich, A.A., Burki, V., Nesje, A., Derron, M.-H., Eilertsen, R. & J.-F. Tønnesen (2008): Sediment budget, processes and landscape evolution in Nordfjord, western Norway. *Geophysical Research Abstracts*, Vol. 10, EGU2008-A-08464, 2008.

Fredin, O., Larsen, E., Lyså, A., Hansen, L., Beylich, A.A., Burki, V., Nesje, A., Derron, M.-H., Eilertsen, R. & J.-F. Tønnesen (2007): SEDITRANS – a Norwegian fjord valley system; sediment budget, processes and landscape development. *NGU Report*, 2007.052: 33.

Gintz, D., Beylich, A.A., Zippel, B. & K. Laute (2008): Detection of stable and mobile channel units using biofilm analysis in cold environments. *Geophysical Research Abstracts*. Vol. 10, EGU2008-A-03877, 2008.

Gintz, D., Beylich, A.A., Zippel, B. & K. Laute (2008): Using biofilm analysis in steep bedload mountain streams for detection of stable and mobile channel units – a new approach for analysis of bedload transport. *33rd International Geological Congress 2008, Oslo, Norway, Abstracts*.

Hansen, L., Beylich, A.A., Burki, V., Eilertsen, R., Fredin, O., Larsen, E., Lyså, A., Nesje, A. & J.-F. Tønnesen (2008): Stratigraphic architecture and infill history of a (de)glaciated bedrock-valley in Stryn, western Norway. *33rd international Geological Congress 2008, Oslo, Norway. Abstracts*.

Hansen, L., Beylich, A.A., Burki, V., Eilertsen, R., Fredin, O., Larsen, E., Lyså, A., Nesje, A., Stalsberg, K. & J.-F. Tønnesen (2009): Stratigraphic architecture and infill history of a deglaciated bedrock valley based on georadar, seismic profiling and drilling. *Sedimentology*, 56: 1751-1773.

Kleemann, D., Beylich, A.A., Zippel, B. & D. Gintz (2009): Biofilm analysis in cold environments: Usage of biofilm for detecting mobile or stabile river channels. *NGU Report* 2009.050: 25.

Kneisel, Ch., Sæmundsson, Þ. & A.A. Beylich (2006): Permafrost environments in central Iceland. *Geophysical Research Abstracts*, 8: 04226.

Kneisel, Ch., Sæmundsson, Þ. & A.A. Beylich (2007): Reconnaissance surveys of contemporary permafrost environments in central Iceland using geoelectrical methods: implications for permafrost degradation and sediment fluxes. *Geografiska Annaler*, 89 A (1): 41-50.

Lamoureux, S.F., Beylich, A.A. & A. Decaulne (2007): Sediment Fluxes and Budgets in Changing High-Latitude and High-Altitude Cold Environments. *Sediment Budgets in Cold Environments (SEDIBUD) Second Workshop; Abisko, Sweden, 15-19 September 2007. EOS, Volume 88 (52), 25 December 2007*: 580.

Lamoureux, S.F., Decaulne, A. & A.A. Beylich (2008): SEDIBUD Test Sites: Fact Sheets. 1st Edition, June 2008. ID 3111308, www.lulu.com.

Lantuit, H., Beylich, A.A. & S.F. Lamoureux (2007): Sediment budgets in coastal settings: On the necessity to create a common framework for SEDIBUD and ACCO / Net activities during the International Polar Year (IPY). *NGU Report*, **2007.052**: 41.

Lantuit, H., Beylich, A.A. & S.F. Lamoureux (2007): Chapter 5 – Integration and synthesis of cold environment sediment flux data. *NGU Report*, **2007.053**: 101-116.

Larsen, E., Beylich, A.A., Bonow, J., Derron, M.-H., Fredin, O., Hättestrand, C., Jansson, K., Kleman, J., Knies, J., Lidmar-Bergström, K., Stalsberg, K. & A. Stroeven (2006): Relief production in glaciated regions: a case study of the Norwegian Atlantic margin. 1st TOPONORGE WORKSHOP, Geological Survey of Norway (NGU), Trondheim, 6.-7. March, 2006: 22.

Laute, K. & A.A. Beylich (2010): Characteristics of floodplain deposits within a braided sandur system in upper Erdalen (Nordfjord, western Norway). *Geografiska Annaler, A, Special Issue*, **92 (2)**: 211-223.

Laute, K. & A.A. Beylich (2010): Geomorphic (de-) coupling of hillslope and channel systems within headwater catchments in two subarctic tributary valleys, Nordfjord, Western Norway. *Geophysical Research Abstracts*, Vol. **12**, EGU2010-1321, 2010.

Laute, K. & A.A. Beylich (2010): Geomorphic influences of the Little Ice Age glacial advance on selected hillslope systems in Nordfjord, Western Norway (Erdalen and Bødalen valleys). *Geophysical Research Abstracts*, Vol. **12**, EGU2010-1320, 2010.

Laute, K., Beylich, A.A. & L. Hansen (2009): Sub-recent erosion and sedimentation within a paraglacial valley system in western Norway (Erdalen, Nordfjord). *NGF Abstracts and Proceedings, no. 1*: 62-63.

Laute, K., Beylich, A.A. & L. Hansen (2009): Sub-recent erosion and sedimentation within a paraglacial tributary catchment of the Nordfjorden valley-fjord system (Erdalen, western Norway). *Geophysical Research Abstracts*, Vol. **11**, EGU2009-1439, 2009.

Laute, K., Beylich, A.A., Hansen, L. & G. Vatne (2010): Postglacial hillslope development in paraglacial tributary catchments (ESF-NFR SedyMONT-Norway Project, SedyMONT, TOPO-EUROPE). *Geophysical Research Abstracts*, Vol. **12**, EGU2010-2734, 2010.

Laute, K., Beylich, A.A., Vatne, G. & L. Hansen (2009): Subrecent erosion and sediment storage quantification within two paraglacial tributary catchments in Nordfjord, western Norway. 7th International Conference on Geomorphology (ANZIAG). *Ancient Landscapes – Modern Perspectives. Conference Abstracts*.

Laute, K., Beylich, A.A., Vatne, G. & L. Hansen (2009): Hillslope processes and their variation over time within two tributary catchments in Nordfjord, western Norway. *NGU Report* **2009.050**: 27.

Laute, K., Beylich, A.A., Hansen, L. & K.-H. Schmidt (2008): Investigations on sub-recent sedimentation and erosion rates within a braided sandur system in Erdalen (Nordfjord, western Norway). *NGU Report*, **2008.058**: 28.

Laute, K., Gintz, D. & A.A. Beylich (2009): SEDIBUD Key Test Site Database. Available online at: <http://www.geomorph.org/wg/wgsb.html>.

Liermann, S., Beylich, A.A., Rubensdotter, L. & L. Hansen (2010): Holocene to contemporary fluvial sediment budgets in small glacier-fed valley-fjord systems (ESF-NFR SedyMONT-Norway Project, SedyMONT, TOPO-EUROPE). *Geophysical Research Abstracts*, Vol. **12**, EGU2010-2820-1, 2010.

Liermann, S., Beylich, A.A., Vatne, G., Rubensdotter, L. & L. Hansen (2009): Quantitative analysis of Holocene to contemporary fluvial sediment fluxes and sediment deposition / storage within two glacier-fed tributary catchments in the Nordfjord region, western Norway. *NGU Report* **2009.050**: 29.

Liermann, S., Rubensdotter, L. & A.A. Beylich (2010): Variability of contemporary sediment delivery rates within the glacier-fed valley Bødalen in western Norway based on sediment analysis. *Geophysical Research Abstracts*, Vol. **12**, EGU2010-4970, 2010.

Lopez, T., Beylich, A.A. & W. Schenk (2007): Assessment and impact of cultural landscape in a U-shaped valley system in western Norway (Erdalen / Nordfjord). *NGU Report*, **2007.052**: 42.

Orwin, J.F., Lamoureux, S.F., Warburton, J. & A.A. Beylich (2010): A framework for characterizing fluvial sediment fluxes from source to sink in cold environments. *Geografiska Annaler, A, Special Issue*, **92 (2)**: 155-176.

Ridefelt, H., Åkerman, J., Beylich, A.A., Boelhouwers, J., Kolstrup, E. & R. Nyberg (2009): 56 years of solifluction measurements in the Abisko Mountains, northern Sweden – analysis of temporal and spatial variations of slow soil surface movement. *Geografiska Annaler* **A91(3)**: 215-232.

Sandberg, O. & A.A. Beylich (2004): Intensity of denudative slope processes in arctic-oceanic Latnjavagge, northernmost Swedish Lapland. *Geophysical Research Abstracts*, **6**, 05935, 2004.

Sandberg, O. & A.A. Beylich (2004): Analysing denudative slope processes by combining process measurements with mapping and dating techniques and a GIS based integration of biological and geomorphological data – first results from Latnjavagge, Swedish Lapland. *Náttúrustofa Norðurlands vestra*. NNV-2004-003. June 2004, 52-53.

Sæmundsson, Þ., Pétursson, H.G., Kneisel, C. & A.A. Beylich (2007): Monitoring of the Tjarnardalur landslide, in central North Iceland. In: *Proceedings of the First North America Landslide Conference, Vail, Colorado, USA, June 3-9, 2007*: 1029-1040.

Sæther, O.M., Beylich, A.A. & G. Åberg (2007): Strontium isotope systematics in the Oppstryn drainage basin, western Norway. *Landform Analysis*, Vol. 5: 71.

Sæther, O.M., Beylich, A.A. & G. Åberg (2007): Strontium isotope systematics in the Oppstryn drainage basin, western Norway. *NGU Report*, 2007.052: 50.

Sæther, O.M., Beylich, A.A. & G. Åberg (2009): Strontium isotope systematics and the age of melting ice in the Oppstryn drainage basin, western Norway. *Norsk Geografisk Tidsskrift – Norwegian Journal of Geography* (Research Note), 63(2): 132-134.

Tweed, F.S., Russell, A.J., Warburton, J. & A.A. Beylich (2007): Chapter 1 – Introduction and background: Sediment fluxes and sediment budgets in changing cold environments – a summary of key issues. *NGU Report*, 2007.053: 19-36.

Vatne, G. & A.A. Beylich (2008): Human induced scour pools in the river Gaula, Central Norway. *NGU Report*, 2008.058: 35.

Vatne, G., Beylich, A.A., Fjelstad, K., Johnsen, M., Krogstad, T.S., Gullaksen, O. & S. Østgård (2008): Scour hollows in the lower parts of the river Gaula, Central Norway. *Geophysical Research Abstracts*. Vol. 10, EGU2008-A-06886, 2008.

Vatne, G., Beylich, A.A., Fjelstad, K. & T.S. Krogstad (2008): Deep river scours – a potential quick-clay slide trigger mechanism induced by human activity. 33rd International Geological Congress, Oslo 2008. Abstracts.

Vatne, G., Naas, Ø.T., Beylich, A.A. & I. Berthling (2006): Bed load transport in a steep mountain stream, Vinstradalen, Norway. *NGF Abstracts and Proceedings of the Geological Society of Norway*, 4: 69.

Vatne, G., Naas, Ø.T., Beylich, A.A. & I. Berthling (2006): Bed load transport in a steep mountain stream, Vinstradalen, Norway. *NGU Report* 2006.069: 69.

Vatne, G., Naas, Ø.T., Skarholen, T., Beylich, A.A. & I. Berthling (2008): Bed load transport in a steep snowmelt-dominated mountain stream as inferred from impact sensors. *Norwegian Journal of Geography-Norsk Geografisk Tidsskrift, special issue* 62(2): 66-74.

Wache, S. & A.A. Beylich (2006): Investigations on the dynamics and sediment budget of a braided river system in Erdalen, Nordfjord, Western Norway. *NGF Abstracts and Proceedings of the Geological Society of Norway*, 4: 70.

Wache, S. & A.A. Beylich (2006): Investigations on the dynamics and sediment budget of a braided river system in Erdalen, Nordfjord, Western Norway. *NGU Report* 2006.069: 70.

Warburton, J., Beylich, A.A., Etienne, S., Etzelmüller, B., Gordeev, V.V., Käyhkö, J., Lantuit, H., Russell, A.J., Schmidt, K.-H., Sæmundsson, Þ. & F.S. Tweed (2007): Sediment budgets and rates of sediment transfer across cold environments in Europe: introduction and background to the European Science Foundation network

`Sedimentary source-to-sink fluxes in cold environments` (SEDIFLUX). *Geografiska Annaler*, **89** A (1): 1-3.

Popular and Online:

Ser etter løsning i løsmasser: *forskning.no* (05.mars 2009)

Kartlegger naturlig transport av løsmasser: *ngu.no, Aktuelt* (02. mars 2009)

Gransker vinteren i norske daler: *ngu.no, Aktuelt* (15. mars 2010)

Argusblick på masserørsler: *Forskerforum* 8 (2009): Side 24-26